



United States Department of the Interior



FISH AND WILDLIFE SERVICE
Red Bluff Fish & Wildlife Office
10950 Tyler Road, Red Bluff, California 96080
(530) 527-3043, FAX (530) 529-0292

April 11, 2016

To: Interested Parties

From: Josh Gruber, Fish Biologist, Red Bluff Fish and Wildlife Office

Subject: Biweekly report (March 25, 2016 - April 7, 2016)

Please find attached preliminary daily estimates of passage, 90% confidence intervals, and fork length ranges of unmarked juvenile salmonids sampled at Red Bluff Diversion Dam for the period March 25, 2016 through April 7, 2016. Race designation was assigned using length-at-date criteria.

This report also contains graphical displays of salmonid passage dating back to 2009 for comparison.

Please note that data contained in these reports is subject to revision as this data is preliminary and undergoing QA/QC procedures.

If you have any questions, please feel free to contact me at (530) 527-3043 ext 233.

Table 1.— Preliminary estimates of passage by brood-year (BY) and run for unmarked juvenile Chinook salmon and steelhead trout captured by rotary-screw traps at Red Bluff Diversion Dam (RK391), Sacramento River, CA, for the dates listed below. Results include estimated passage, peak river discharge volume, water temperature, turbidity, and fork length (mm) range in parentheses. A dash (-) indicates that sampling was not conducted on that date.

Date	Discharge volume (cfs) ¹	Water temperature (°C)	Water turbidity (NTU)	Estimated passage				
				BY15 Winter	BY15 Spring	BY15 Fall	BY16 Late-Fall ²	BY16 RBT
3/25/2016	22,800	11.9	11.4	741 (98)	27,682 (71 – 86)	61,239 (32 – 70)	0 (–)	0 (–)
3/26/2016	19,200	11.8	9.7	345 (97 – 153)	17,822 (72 – 83)	45,874 (31 – 71)	0 (–)	0 (–)
3/27/2016	17,600	12.1	8.9	305 (98 – 106)	6,678 (73 – 82)	25,482 (32 – 72)	0 (–)	0 (–)
3/28/2016	13,900	11.9	8.6	146 (127 – 143)	6,041 (73 – 91)	18,722 (32 – 72)	0 (–)	0 (–)
3/29/2016	11,500	12.0	6.1	75 (151)	7,273 (73 – 89)	12,948 (32 – 72)	0 (–)	0 (–)
3/30/2016	9,430	12.2	6.0	112 (139 – 146)	5,111 (74 – 92)	8,611 (33 – 73)	0 (–)	0 (–)
3/31/2016	9,160	13.1	5.8	71 (101 – 146)	4,178 (74 – 89)	6,767 (33 – 73)	0 (–)	0 (–)
4/1/2016	8,910	13.9	5.7	38 (103)	2,569 (75 – 92)	5,471 (34 – 74)	74 (32 – 33)	74 (173 – 190)
4/2/2016	8,730	14.5	4.8	33 (145)	2,068 (75 – 97)	3,438 (35 – 74)	347 (32 – 34)	0 (–)
4/3/2016	8,560	15.0	4.7	0 (–)	1,921 (76 – 95)	1,953 (35 – 75)	335 (32 – 34)	0 (–)
4/4/2016	8,260	15.1	4.4	0 (–)	1,450 (76 – 95)	1,934 (35 – 75)	64 (32 – 34)	32 (63)
4/5/2016	8,150	14.4	3.9	32 (158)	1,501 (77 – 97)	1,730 (35 – 76)	66 (34)	33 (42)
4/6/2016	8,030	14.7	3.8	62 (145 – 164)	1,178 (77 – 97)	1,548 (35 – 76)	185 (28 – 34)	0 (–)
4/7/2016	7,610	15.3	3.9	30 (112)	1,590 (78 – 100)	1,589 (36 – 77)	240 (34 – 35)	60 (63 – 72)
Biweekly Total ³				1,990	87,062	197,306	1,311	199
<i>Biweekly Lower 90% Confidence Interval</i>				-911	-4,964	-20,417	822	34
<i>Biweekly Upper 90% Confidence Interval</i>				4,891	179,088	415,029	1,800	364
Brood Year Total				338,441	1,076,973	21,111,647	1,311	2,483
<i>Brood year Lower 90% Confidence Interval</i>				236,067	-474,190	-1,559,576	822	-247
<i>Brood year Upper 90% Confidence Interval</i>				440,815	2,628,135	43,782,869	1,800	5,213

¹ Peak daily discharge values do not account for diversions at RBDD and only represent peak flows registered at the Bend Bridge Gauging station (<http://cdec2.water.ca.gov/cgi-progs/queryFx?bnd>).

² Brood Year 2016 began on 04/1/16 according to length-at-date criteria (Greene 1992); brood year 2015 total was estimated 67,828.

³ Biweekly totals may be greater than the sum of the daily estimates presented in this table if sampling was not conducted on each day of the biweekly period. A dash (-) denotes those dates. To estimate daily passage for days that were not sampled, we impute missed sample days with the weekly mean value of days sampled within the week




Figure 1. Weekly estimated passage of unmarked juvenile winter Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period July 1, 2009 to present .

*Winter run passage value interpolated using a monthly mean for the period October 1, 2013 - October 17, 2013 due to government shutdown .

Juvenile Spring Chinook Salmon Estimated Passage




Figure 2. Weekly estimated passage of unmarked juvenile spring Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period October 16, 2009 to present .

Juvenile *Onchorhynchus mykiss* Estimated Passage




Figure 3. Weekly estimated passage of unmarked juvenile Rainbow/Steelhead trout at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period January 1, 2010 to present .

Juvenile Fall Chinook Salmon Estimated Passage




Figure 4. Weekly estimated passage of unmarked juvenile fall Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period December 1, 2009 to present .

Juvenile Late Fall Chinook Salmon Estimated Passage




Figure 5. Weekly estimated passage of unmarked juvenile late fall Chinook salmon at Red Bluff Diversion Dam (RK391) by brood-year (BY). Fish were sampled using rotary-screw traps for the period April 1, 2010 to present .




Figure 6. Weekly estimated passage of unmarked juvenile Chinook salmon at Red Bluff Diversion Dam (RK391) by calendar year. Fish were sampled using rotary-screw traps for the period January 1, 2009 to December 31, 2015